AIR CUT OFF TOOL 76MM

PART NO. K13240



SERIES DESCRIPTION

The Kincrome Air Tools range offers the tradesperson, industrial user and DIY enthusiast, a comprehensive range of air tools to get the job done. Covered by a class leading 2 Year Warranty, these tools are built to last, with the performance and quality you have come to expect from Kincrome.

Kincrome is recognised by the trade as a leading industrial and commercial tool brand. To compliment this, we stock an extensive range of pneumatic products such as air compressors, air tools and accessories, backed up by comprehensive spare parts. Kincrome Air Tools have been relentlessly tested and proven in the field, with attention to quality, reliability and the ultimate in performance.

From class leading impact wrenches to powerful air hammers, die grinders to air riveters, you'll find all the right air tools for the job with Kincrome.

To read about the Benefits Of Air Tools click here.

DESCRIPTION

The Kincrome Air Cut Off Tool – 76mm (Part No. K13240) is the perfect addition to any professional automotive workshop, car enthusiast or metal fabrication industrial trade application!

The Kincrome Air Cut Off Tool delivers a HUGE 21,000RPM, which is much higher than your standard cut off tool! Allowing for smooth and quick cutting of materials such as aluminium, plastic, fibreglass and mild steel!

The Kincrome Air Cut Off Tool is constructed from a lightweight, composite housing with a rubber over mould providing durability and reducing fatigue over prolonged periods of time....perfect for industrial applications!

The Kincrome Air Cut Off Tool features a unique twin bearing system for smooth operation, reducing vibration thus allowing for maximum control!

The Kincrome Air Cut Off Tool will work on most home and workshop compressors, only requiring 99LPM of free air flow!

Like the rest of the Kincrome Air Tool Range, you can sleep easy knowing the Kincrome Air Cut Off Tool – 76mm (Part No. K13240) is backed by our premium 2 Year Warranty!

FEATURES

- Unique twin bearing system for smooth operation
- · Reduced vibration for extended use
- Ergonomic composite body grip
- Swivel exhaust
- Nitto style fitting included
- Industrial Duty
- (Disc pictured not included)

BAR CODE

VIDEO

TECHNICAL SPECIFICATIONS

FEATURES	
Unique twin bearing system for	smooth operation
• Reduced vibration for extended use	
• Ergonomic composite body grip	
Swivel exhaust	
Nitto style fitting included	
• Industrial Duty	
• (Disc pictured not included)	
BAR CODE	
9312753026260	
VIDEO	
TECHNICAL SPECIFICATION	IS
Warranty	2 Year
Spindle Size	10mm
Speed	21000 (No load RPM)
Air Consumption	99 LPM (3.5 CFM) Average
Grinding Wheel Size	76mm (OD)
Explosion Proof Guard	Yes
Inlet Size	1/4"
Min Hose Size	3/8" ID
Noise Level	85dB Pressure (Load)
Noise Level	88dB Power (Load)
Vibration	0.8 (M/SEC ²)
Inlet Pressure	90 PSI Max
Variable Speed	Yes
Exhaust	Rear Swivel
Weight	0.8KG
Fitting Type	Nitto Style
Material	Composite Grip
Accessories	Spindle Spanner, Hex Key