

# GORILLA® SUPER GLUE 2X3G

---

PART NO. 41005



## DESCRIPTION

---

Tough, Fast, Fix It and Forget It Glue

The only super glue tough enough to be called Gorilla. This new super glue has Impact-Tough Formula, which makes a bond that's impact-resistant. It sets in under a minute, with no clamping required. Projects dry fast and last long, standing up to drops, bumps and bangs.

**You asked for it. Or maybe secretly wished for it. And now it's here. Introducing new Gorilla™ Super Glue, the first super glue that keeps holding strong, even when the bond takes a hit. Just hold in place for 30-60 seconds while the formula sets, no clamping necessary. It's what makes Gorilla™ Super Glue, so, well, super.**

## FEATURES

---

- **IMPACT STRENGTH** - unique rubber particles increase impact-resistance and strength to handle everyday use after your repair or creation is set.
- **WON'T CLOG** - anti-clog tip with metal pin keeps nozzle clean.
- **EASY TO USE** - thick formula flows better for improved control. Dries in just 30-60 seconds, with no clamping.
- **WHATEVER THE SURFACE** - use on nearly anything, from wood, metal, ceramics, some plastics, rubber and a whole lot more!
- **FAST SETTING** - Dries in 10 - 30 seconds, no clamping required.

## BAR CODE

---

052427410054

## VIDEO

## TECHNICAL SPECIFICATIONS

---

<b>Purpose</b>	Instant repairs on smaller, indoor projects
<b>Open Working Time</b>	Not repositionable
<b>Clamp Time</b>	Hold for 30-60 seconds
<b>Drying Time</b>	Light Handling 1-5 minutes
<b>Outdoor Use</b>	Not Recommended
<b>Glue Expansion</b>	None
<b>Dry Colour</b>	Translucent
<b>Finishing</b>	Sandable
<b>Wood Use</b>	Yes
<b>Metal Use</b>	Yes
<b>Stone Use</b>	Yes
<b>Ceramics Use</b>	Yes
<b>Glass Use</b>	No
<b>Plastic Use</b>	Yes
<b>PVC Sheet Use</b>	Yes
<b>Brick Use</b>	Yes
<b>Concrete Use</b>	No
<b>Foam Use</b>	No

<b>Paper Use</b>	Yes
------------------	-----

<b>Rubber Use</b>	Yes
-------------------	-----

[www.SUMMERLANDTOOLS.com.au](http://www.SUMMERLANDTOOLS.com.au)