# **AIR ANGLE SANDER KIT 16 PIECE**

PART NO. K13245



#### **SERIES DESCRIPTION**

The Kincrome Air Tools range offers the tradesperson, industrial user and DIY enthusiast, a comprehensive range of air tools to get the job done. Covered by a class leading 2 Year Warranty, these tools are built to last, with the performance and quality you have come to expect from Kincrome.

Kincrome is recognised by the trade as a leading industrial and commercial tool brand. To compliment this, we stock an extensive range of pneumatic products such as air compressors, air tools and accessories, backed up by comprehensive spare parts. Kincrome Air Tools have been relentlessly tested and proven in the field, with attention to quality, reliability and the ultimate in performance.

From class leading impact wrenches to powerful air hammers, die grinders to air riveters, you'll find all the right air tools for the job with Kincrome.

To read about the Benefits Of Air Tools click here.

## **DESCRIPTION**

The Kincrome 16 Piece Air Angle Sander Kit (Part No. K13245) is the perfect addition to any professional automotive workshop, car enthusiast or industrial or metal fabrication trade application such as panel beaters and spray painters!

Packing an impressive 15,000RPM the Kincrome Air Angle Sander makes the job effortless, whether its stripping paint, de-rusting a metal surface, performing some light grinding or tidying up some welds!

The unit's unique twin bearing system allows for smooth operation, reducing vibration, and the lightweight composite housing, provides convenience and reduced fatigue allowing for extended use... ideal for industrial applications!

The Kincrome Air Angle Sander Kit comes with a 50mm and 75mm Roloc Style Abrasive Pad, allowing you to quickly change your Roloc Sanding disc, allowing for less down time fiddling around with annoying sanding pads.

The two difference sized Abrasive Pads, cater for many different applications, where the 50mm discs are ideal for getting into those hard to reach places and the 75mm would be ideal for stripping large surface areas.

The Air Angle Sander will work on most home and workshop compressors, only requiring 99LPM of free air flow!

Like the rest of the Kincrome Air Tool Range, you can sleep easy knowing the 16 Piece Air Angle Sander Kit (Part No. K13245) is backed by our premium 2 Year Warranty!

#### **FEATURES**

- Unique twin bearing system for smooth operation
- On-board adjustable speed regulator
- · Reduced vibration for extended use
- · Ergonomic composite body grip
- Swivel exhaust
- Nitto style fitting included
- Includes 5 x 50 & 5 x 75 Roloc style sanding pads
- 1 x 50mm & 1 x 75mm backing pad

#### **CONTENTS**

- Angle Sander
- 5 x 2" (50MM) Abrasive discs
- 5 x 3" (75MM) Abrasive discs
- 1 x 2" (50MM) Abrasive pad
- 1 x 3" (75MM) Abrasive pad
- 1 x Spindle adaptor
- 2 x Spindle spanners
- 1 x 1/4" Nitto style fitting
- Durable Plastic Blow Mould Case

#### **BAR CODE**

### **TECHNICAL SPECIFICATIONS**

Farancia canancita bada min	
• Ergonomic composite body grip	
Swivel exhaust     Nitte atule fitting included	
<ul> <li>Nitto style fitting included</li> <li>Includes 5 x 50 &amp; 5 x 75 Roloc st</li> </ul>	tulo conding pade
<ul> <li>1 x 50mm &amp; 1 x 75mm backing p</li> </ul>	
	rau
CONTENTS	
Angle Sander	
• 5 x 2" (50MM) Abrasive discs	
• 5 x 3" (75MM) Abrasive discs	
• 1 x 2" (50MM) Abrasive pad	
• 1 x 3" (75MM) Abrasive pad	
• 1 x Spindle adaptor	
• 2 x Spindle spanners	
• 1 x 1/4" Nitto style fitting	
<ul> <li>Durable Plastic Blow Mould Case</li> </ul>	
BAR CODE	
9312753026284	
, VY	
TECHNICAL SPECIFICATIONS	
Warranty	2 Year
Spindle Size	5/16"
Speed	15000 (No load RPM)
Air Consumption	99 LPM (3.5 CFM) Average
Abrasive Wheel Size	50mm & 75mm (OD)
<b>Explosion Proof Guard</b>	Yes
Inlet Size	1/4"
Min Hose Size	3/8" ID
Noise Level	81dB Pressure (Load)
Noise Level	86dB Power (Load)
Vibration	0.6 (M/SEC²)
Inlet Pressure	90 PSI Max
Variable Speed	Yes
Exhaust	Rear Swivel
Weight	1.6KG
Fitting Type	Nitto Style
Material	Composite Grip
Accessories	X2 Spindle Spanners